

**Meiofauna Sled Samples from
Campbell River Estuary and
Discovery Passage 1982 - Calanoid
Copepod Species Identification**

T. J. Brown, R. F. Clarke and B. A. Kask

Department of Fisheries and Oceans
Fisheries Research Branch
Pacific Biological Station
Nanaimo, British Columbia V9R 5K6

October 1984

**Canadian Data Report of
Fisheries and Aquatic Sciences
No. 483**

Canadian Data Report of Fisheries and Aquatic Sciences

Data reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of data reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written authorization from the issuing establishment. The correct citation appears above the abstract of each report. Data reports are abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was introduced with the publication of report number 161.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

Rapport statistique canadien des sciences halieutiques et aquatiques

Les rapports statistiques servent à classer et à archiver les compilations de données pour lesquelles il y a peu ou point d'analyse. Ces compilations auront d'ordinaire été préparées à l'appui d'autres publications ou rapports. Les sujets des rapports statistiques reflètent la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports statistiques ne sont pas destinés à une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports statistiques sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 25 de cette série ont été publiés à titre de relevés statistiques, Services des pêches et de la mer. Les numéros 26 à 160 ont été publiés à titre de rapports statistiques du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 161.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Data Report of
Fisheries and Aquatic Sciences No. 483

MEIOFAUNA SLED SAMPLES FROM CAMPBELL RIVER ESTUARY AND DISCOVERY
PASSAGE 1982 - CALANOID COPEPOD SPECIES IDENTIFICATION

October 1984

by

T. J. Brown, R. F. Clarke and B. A. Kask

Department of Fisheries and Oceans
Fisheries Research Branch
Pacific Biological Station
Nanaimo, British Columbia V9R 5K6

(c) Minister of Supply and Services Canada 1984

Cat. No. Fs 97-13/483E

ISSN 0706-6465

Correct citation for this publication:

Brown, T. J., R. F. Clarke, and B. A. Kask. 1984. Meiofauna sled samples from Campbell River estuary and Discovery Passage 1982 - Calanoid copepod species identification. Can. Data Rep. Fish. Aquat. Sci. 483: 22 p.

ABSTRACT

Brown, T. J., R. F. Clarke, and B. A. Kask. 1984. Meiofauna sled samples from Campbell River estuary and Discovery Passage 1982 - Calanoid copepod species identification. Can. Data Rep. Fish. Aquat. Sci. 483: 22 p.

Between March and December 1982 twenty sampling trips were made to the Campbell River estuary and Discovery Passage area. One hundred and forty-six epibenthic sleds were collected from eighteen sites and the calanoid copepods were identified to species. This report presents these data sorted by station and date.

RÉSUMÉ

Brown, T. J., R. F. Clarke, and B. A. Kask. 1984. Meiofauna sled samples from Campbell River estuary and Discovery Passage 1982 - Calanoid copepod species identification. Can. Data Rep. Fish. Aquat. Sci. 483: 22 p.

De mars à décembre 1982, 20 expéditions d'échantillonnage ont été effectuées dans l'estuaire de la rivière Campbell et la région du passage Discovery. Les copépodes calanoïdes recueillis dans 146 traits de traîneau réalisés à 18 endroits de la zone épibenthique ont été identifiés jusqu'à l'espèce. Le présent rapport porte sur ces données classées selon la date et la station.



INTRODUCTION

Data on the calanoid species collected in epibenthic sled samples from the Campbell River estuary and Discovery Passage in 1982 are presented here. The epibenthic sled samples were taken as part of a project to evaluate the importance of estuarine and alternate habitats to juvenile wild and hatchery salmonids.

MATERIALS AND METHODS

The epibenthic sled samples (Sibert et al. 1977) were collected in conjunction with beach seining on twenty trips to the Campbell River area from March to December 1982 (Brown et al. 1983). The epibenthic sled had a mouth opening of 10 cm x 10 cm with a 100 μ net and was pulled along the shoreline for 5 m. Duplicate samples were collected at each site and preserved in 4% formalin and rose bengal.

In the laboratory the samples were decanted through a 44 sieve and counted on a dissecting microscope. Some samples were split using a folsom plankton splitter prior to counting and the organisms were identified to major taxonomic groups (Kask et al. 1984). The first one hundred harpacticoids and calanoids were collected for identification to species where possible.

The data have been corrected by the split factor where applicable and a correction factor (total calanoids / total calanoids identified x calanoid species). This gives the species identified as counts proportional to the total calanoids in the sample and were rounded to the nearest animal.

RESULTS

Seven stations were sampled in the estuary, four in the transition zone (Fig. 1) and seven in the marine zone (Fig. 2). Detailed site descriptions may be found in Brown et al. 1983.

There were seventy estuarine, twelve transition and sixty-four marine samples taken during the twenty sampling trips. The data have been sorted by station and date and the mean of the duplicate sled samples calculated. Tide type (ebbing or flooding) and height (m), temperature and salinity are also listed for each station. Any data that were not recorded is represented by -9.

The number of samples collected from each site may be found in Table 1 and the calanoid species identification in Table 2.

ACKNOWLEDGMENTS

We would like to thank Drs C. D. McAllister, C. D. Levings, F. C. Withler, and Messers M. Kotyk and D. K. Gordon for their assistance in the field sampling.

REFERENCES

- Sibert, J., B. A. Kask and T. J. Brown. 1977. A diver-operated sled for sampling the epibenthos. Fish. Mar. Serv. Tech. Rep. 738: 19 p.
- Brown, T. J., C. D. McAllister, C. D. Levings, and M. Kotyk. 1983. Salmonid catch-data from Campbell River and Discovery Passage, 1982. Can. Data Rep. Fish. Aquat. Sci. 416: 97 p.
- Kask, B. A., and T. J. Brown. 1984. Meiofauna sled samples from Campbell River Estuary and Discovery Passage 1982. Can. Data Rep. Fish. Aquat. Sci. (in press).

Table 1. Station numbers by zone and number of samples collected.

Stn. #	Name	No. of samples
Estuarine zone		
1	Mother Ramp	2
2	Nunn's Island	2
3	Nunn's Creek	16
7	North Baikie Mouth	30
13	Island #2	2
17	Island #3	8
18	Island #4	10
Transition zone		
4	Spit	2
5	Bar	2
20	Boat Ramp	2
34	Painter's Channel	6
Marine zone		
23	Middle Point	2
24	Menzies Bay	2
25	Maude Beach	2
27	Outer Gowlland	28
31	Plumper Bay	24
32	Deepwater Bay	4
281	South Gowlland	2

*Brown et al. 1983.

Table 2. Calanoid species identification - missing data is represented by -9.

UCOP	Unidentified copepodites
CYGR	Cyclopina gracilis
ONSP	Oncaea species
NEPL	Neocalanus plumchrus
OISP	Oithona species
PAPA	Paracalanus parvus
PSMI	Pseudocalanus minutus
MISP	Metridia species
COSP	Corycaeus species
ACLO	Acartia longiremis
MEPA	Metridia pacifica
MIPP	Microcalanus pygmaeus pusillus
AEDI	Aetidius divergens
EUAM	Eurytemora americana
EPLO	Epilabidocera longipedata
CALU	Calanoid 'u'
TODI	Tortanus discaudatus
SCMI	Scolecithricella minor
CASP	Calanus species
CEAB	Centropages abdominalis
EUAF	Eurytemora affinis
CYSP	Cyclops species
DISP	Diaptomus species
UNCY	Unidentified cyclopoids

DATE	821214	821214	821214	821214
TIME	1810	1810	1810	1810
STATION	1	1	1	1
TIDE	E3.1	E3.1	E3.1	E3.1
TEMPERATURE	6.5	6.5	6.5	6.5
SALINITY	10.0	10.0	10.0	10.0
SLED NO.	1	2	2	MEAN
TOTAL CALANOIDS	4	5	5	
NO. IDENTIFIED	4	5	5	
LOOP	2.0	0.0	0.0	1.0
UNCY	2.0	5.0	5.0	3.5

DATE	820517	820517	820517
TIME	1945	1945	1945
STATION	2	2	2
TIDE	F2.2	F2.2	F2.2
TEMPERATURE	-9.0	-9.0	-9.0
SALINITY	-9.0	-9.0	-9.0
SLED NO.	1	2	MEAN
TOTAL CALANOIDS	3	0	
NO. IDENTIFIED	3	0	
DNSP	1.0	0.0	0.5
CYSP	2.0	0.0	1.0

DATE	820323	820323	820323	820405	820405	820405	820413	820413	820413	820503	820503	820503
TIME	2100	2100	2100	2040	2040	2040	1436	1436	1436	2140	2140	2140
STATION	3	3	3	3	3	3	3	3	3	3	3	3
TIDE	E1.9	E1.9	E1.9	E1.9	E1.9	E1.9	E1.4	E1.4	E1.4	F2.5	F2.5	F2.5
TEMPERATURE	7.0	7.0	7.0	6.6	6.6	6.6	7.3	7.3	7.3	8.3	8.3	8.3
SALINITY	0.0	0.0	0.0	1.1	1.1	1.1	7.7	7.7	7.7	1.0	1.0	1.0
SLED NO.	1	2	MEAN	1	2	MEAN	1	2	MEAN	1	2	MEAN
TOTAL CALANOIDS	1	1		3	8		4	2		3	11	
NO. IDENTIFIED	1	1		3	8		4	2		3	11	
LOOP	0.0	0.0	0.0	1.0	1.0	1.0	1.0	0.0	0.5	0.0	0.0	0.0
ONSP	0.0	0.0	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
NEPL	0.0	0.0	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
OISP	0.0	0.0	0.0	1.0	0.0	0.5	1.0	0.0	0.5	0.0	0.0	0.0
PSMI	0.0	0.0	0.0	0.0	3.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0
CYSP	1.0	1.0	1.0	0.0	0.0	0.0	1.0	1.0	1.0	3.0	6.0	4.5
UNCY	0.0	0.0	0.0	1.0	2.0	1.5	1.0	1.0	1.0	0.0	5.0	2.5

DATE	820526	820526	820526	820605	820605	820617	820617	821109	821109	821109
TIME	1450	1450	1450	752	752	745	745	745	345	345
STATION	3	3	3	3	3	3	3	3	3	3
TIDE	F0.6	F0.6	F0.6	E2.2	E2.2	E1.7	E1.7	E1.7	E1.9	E1.9
TEMPERATURE	13.5	13.5	13.5	-9.0	-9.0	15.0	15.0	15.0	8.0	8.0
SALINITY	8.0	8.0	8.0	-9.0	-9.0	3.0	3.0	3.0	0.0	0.0
SLED NO.	1	2	MEAN	1	2	1	2	MEAN	1	2
TOTAL CALANOIDS	0	2		1	1	6	2	12	8	
NO. IDENTIFIED	0	2		1	1	5	2	11	7	
UCOP	0.0	2.0	1.0	1.0	0.0	3.0	1.0	2.0	0.0	0.0
ONSP	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0	0.0
COSP	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0
CYSP	0.0	0.0	0.0	0.0	1.0	1.0	0.0	12.0	8.0	10.0

DATE	820405	820405	820405
TIME	1551	1551	1551
STATION	4	4	4
TIDE	E3.4	E3.4	E3.4
TEMPERATURE	6.9	6.9	6.9
SALINITY	13.2	13.2	13.2
SLED NO.	1	2	MEAN
TOTAL CALANOIDS	466	617	
NO. IDENTIFIED	137	572	
UCOP	88.0	107.0	97.5
ONSP	113.0	44.0	78.5
NEPL	54.0	111.0	82.5
OISP	105.0	111.0	108.0
PSMI	92.0	227.0	159.5
MISP	3.0	3.0	3.0
COSP	0.0	3.0	1.5
ACLO	3.0	4.0	3.5
EPLO	0.0	2.0	1.0
CEAB	0.0	2.0	1.0
CYSP	0.0	1.0	0.5
UNCY	7.0	1.0	4.0

DATE	820323	820323	820323	820405	820405	820405	820428	820428	820428	820505	820505	820505
TIME	2235	2235	2235	1452	1452	1452	1025	1025	1025	915	915	915
STATION	5	5	5	7	7	7	7	7	7	7	7	7
TIDE	E1.4	E1.4	E1.4	E3.7	E3.7	E3.7	E2.5	E2.5	E2.5	E1.9	E1.9	E1.9
TEMPERATURE	4.0	4.0	4.0	5.9	5.9	5.9	7.5	7.5	7.5	-9.0	-9.0	-9.0
SALINITY	0.0	0.0	0.0	0.8	0.8	0.8	0.0	0.0	0.0	-9.0	-9.0	-9.0
SLED NO.	1	2	MEAN	1	2	MEAN	1	2	MEAN	1	2	MEAN
TOTAL CALANOIDS	5	0		3	6		7	3		8	3	
NO. IDENTIFIED	5	0		3	5		7	3		8	3	
CYSP	5.0	0.0	2.5	0.0	0.0	0.0	2.0	0.0	0.0	4.0	0.0	2.0
DATE	820323	820323	820323	820405	820405	820405	820428	820428	820428	820505	820505	820505
TIME	2310	2310	2310	1452	1452	1452	1025	1025	1025	915	915	915
STATION	7	7	7	7	7	7	7	7	7	7	7	7
TIDE	F1.4	F1.4	F1.4	E3.7	E3.7	E3.7	E2.5	E2.5	E2.5	E1.9	E1.9	E1.9
TEMPERATURE	4.0	4.0	4.0	5.9	5.9	5.9	7.5	7.5	7.5	-9.0	-9.0	-9.0
SALINITY	0.0	0.0	0.0	0.8	0.8	0.8	0.0	0.0	0.0	-9.0	-9.0	-9.0
SLED NO.	1	2	MEAN	1	2	MEAN	1	2	MEAN	1	2	MEAN
TOTAL CALANOIDS	2	1		3	6		7	3		8	3	
NO. IDENTIFIED	1	1		3	5		7	3		8	3	
UCOP	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	4.0	0.0	2.0
ONSP	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0	1.0	0.5
NEPL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.5
OISP	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	1.5	0.0	0.0	0.0
PSMI	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0
WISP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.5
CYSP	2.0	0.0	1.0	3.0	6.0	4.5	0.0	1.0	0.5	1.0	1.0	1.0
UNCY	0.0	1.0	0.5	0.0	0.0	0.0	0.0	1.0	0.5	2.0	0.0	1.0

DATE	820709	820709	820709	820721	820721	820804	820804	820910	820910	820910
TIME	1455	1455	1455	757	757	757	1935	745	745	745
STATION	7	7	7	7	7	7	7	7	7	7
TIDE	F1.6	F1.6	F1.6	E2.2	E2.2	E3.9	E3.9	F2.3	F2.3	F2.3
TEMPERATURE	16.0	16.0	16.0	14.0	14.0	15.0	15.0	-9.0	-9.0	-9.0
SALINITY	1.0	1.0	1.0	4.0	4.0	0.0	0.0	-9.0	-9.0	-9.0
SLED NO.	1	2	MEAN	1	2	1	2	1	2	MEAN
TOTAL CALANOIDS	6	2		7	2	2	4	18	4	
NO. IDENTIFIED	6	2		7	2	2	4	16	3	
UCOP	5.0	1.0	3.0	0.0	0.0	0.0	3.0	13.0	4.0	8.5
OISP	0.0	0.0	0.0	1.0	0.0	0.0	0.0	3.0	0.0	1.5
PAPA	1.0	0.0	0.5	0.0	0.0	1.0	0.0	0.0	0.0	0.0
COSP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.5
CYSP	0.0	0.0	0.0	2.0	0.0	1.0	1.0	0.0	0.0	0.0
UNCY	0.0	1.0	0.5	4.0	2.0	0.0	0.0	1.0	0.0	0.5

DATE	820929	820929	820929	821109	821109	821214	821214	821214	821214
TIME	825	825	825	520	520	900	900	900	900
STATION	7	7	7	7	7	7	7	7	7
TIDE	E1.6	E1.6	E1.6	E1.6	E1.6	E3.9	E3.9	E3.9	E3.9
TEMPERATURE	13.0	13.0	13.0	9.0	9.0	6.5	6.5	6.5	6.5
SALINITY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SLED NO.	1	2	MEAN	1	2	1	2	1	MEAN
TOTAL CALANOIDS	5	0		2	0	0	1	1	
NO. IDENTIFIED	5	0		2	0	0	1	1	
UCOP	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.5	0.5
OISP	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
PSAI	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
CYSP	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0
UNCY	3.0	0.0	1.5	1.0	0.0	0.0	0.0	0.0	0.0

DATE	820617	820617	820617
TIME	1205	1205	1205
STATION	13	13	13
TIDE	F2.6	F2.6	F2.6
TEMPERATURE	17.0	17.0	17.0
SALINITY	1.0	1.0	1.0
SLED NO.	1	2	MEAN
TOTAL CALANOIDS	11	7	
NO. IDENTIFIED	10	7	
UCOP	0.0	1.0	0.5
CYSP	8.0	6.0	7.0
DISP	2.0	0.0	1.0
UNCY	1.0	0.0	0.5

DATE	820323	820323	820323	820405	820405	820405	820413	820413	820413	820503	820503	820503	820503
TIME	1550	1550	1550	1950	1950	1950	1640	1640	1640	1930	1930	1930	1930
STATION	17	17	17	17	17	17	17	17	17	17	17	17	17
TIDE	E3.7	E3.7	E3.7	E2.0	E2.0	E2.0	F2.0	F2.0	F2.0	E2.2	E2.2	E2.2	E2.2
TEMPERATURE	-9.0	-9.0	-9.0	5.2	5.2	5.2	5.7	5.7	5.7	-9.0	-9.0	-9.0	-9.0
SALINITY	-9.0	-9.0	-9.0	0.2	0.2	0.2	0.0	0.0	0.0	-9.0	-9.0	-9.0	-9.0
SLED NO.	1	2	3	1	2	2	1	2	2	1	2	2	2
TOTAL CALANOIDS	7	7	7	18	12	12	15	26	26	15	13	13	13
NO. IDENTIFIED	7	2	2	7	12	12	15	26	26	14	13	13	13
UCOP	0.0	0.0	0.0	7.0	4.0	4.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0
ONSP	0.0	0.0	0.0	2.0	0.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0
OISP	1.0	0.0	0.5	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PSMI	0.0	0.0	0.0	2.0	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
COSP	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CEAB	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CYSP	4.0	1.0	2.5	0.0	0.0	0.0	5.0	8.0	8.0	10.0	10.0	10.0	10.0
UNCY	1.0	2.0	1.5	5.0	6.0	6.0	7.0	17.0	17.0	5.0	3.0	3.0	4.0

DATE	820413	820413	820413	820503	820503	820503	820517	820517	820517	820528	820528	820528
TIME	1620	1620	1620	1910	1910	1910	1830	1830	1830	1125	1125	1125
STATION	18	18	18	18	18	18	18	18	18	18	18	18
TIDE	F1.9	F1.9	F1.9	E2.2	E2.2	E2.2	F1.9	F1.9	F1.9	E2.5	E2.5	E2.5
TEMPERATURE	6.8	6.8	6.8	8.0	8.0	8.0	-9.0	-9.0	-9.0	-9.0	-9.0	-9.0
SALINITY	0.7	0.7	0.7	0.3	0.3	0.3	-9.0	-9.0	-9.0	-9.0	-9.0	-9.0
SLED NO.	1	2	MEAN	1	2	MEAN	1	2	MEAN	1	2	MEAN
TOTAL CALANOIDS	5	10		67	73		4	5		18	2	
NO. IDENTIFIED	5	10		65	70		4	5		18	2	
UCOP	0.0	6.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.5
NEPL	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CYSP	1.0	3.0	2.0	67.0	64.0	65.5	2.0	2.0	2.0	5.0	0.0	3.0
UNCY	4.0	0.0	2.0	0.0	9.0	4.5	2.0	3.0	2.5	11.0	2.0	6.5

DATE	820605	820605	820605
TIME	1437	1437	1437
STATION	18	18	18
TIDE	F2.6	F2.6	F2.6
TEMPERATURE	-9.0	-9.0	-9.0
SALINITY	-9.0	-9.0	-9.0
SLED NO.	1	2	MEAN
TOTAL CALANOIDS	2	1	
NO. IDENTIFIED	2	1	
NEPL	2.0	0.0	1.0
CYSP	0.0	1.0	0.5

DATE	TIME	STATION	TIDE	TEMPERATURE	SALINITY	SLED NO.	TOTAL CALANOIDS	NO. IDENTIFIED	UCOP	ONSP	NEPL	OISP	PSMI	ACLO	CEAB	UNCY
820413	1910	20	F2.9	7.5	30.5	1	28	28	11.0	1.0	2.0	8.0	2.0	1.0	1.0	2.0
820413	1910	20	F2.9	7.5	30.5	2	21	21	10.0	2.0	1.0	5.0	3.0	0.0	0.0	0.0
820413	1910	20	F2.9	7.5	30.5	MEAN			10.5	1.5	1.5	6.5	2.5	0.5	0.5	1.0

DATE	TIME	STATION	TIDE	TEMPERATURE	SALINITY	SLED NO.	TOTAL CALANOIDS	NO. IDENTIFIED	NEPL	OISP	ACLO
820605	935	23	E1.4	-9.0	-9.0	1	364	90	360.0	0.0	4.0
820605	935	23	E1.4	-9.0	-9.0	2	104	26	96.0	8.0	0.0
820605	935	23	E1.4	-9.0	-9.0	MEAN			228.0	4.0	2.0

DATE	820818	820818	820818
TIME	845	845	845
STATION	24	24	24
TIDE	E1.2	E1.2	E1.2
TEMPERATURE	11.0	11.0	11.0
SALINITY	29.0	29.0	29.0
SLED NO.	1	2	MEAN
TOTAL CALANOIDS	96	160	
NO. IDENTIFIED	6	10	
UCOP	48.0	0.0	24.0
CYGR	48.0	160.0	104.0

DATE	820708	820708	820708
TIME	1200	1200	1200
STATION	25	25	25
TIDE	E0.9	E0.9	E0.9
TEMPERATURE	13.0	13.0	13.0
SALINITY	24.0	24.0	24.0
SLED NO.	1	2	MEAN
TOTAL CALANOIDS	48	32	
NO. IDENTIFIED	3	1	
UCOP	32.0	32.0	32.0
CYGR	16.0	0.0	8.0

DATE	820518	820518	820518	820527	820527	820527	820527	820616	820616	820616	820628	820628	820628
TIME	930	930	930	1355	1355	1355	1355	1910	1910	1910	1410	1410	1410
STATION	27	27	27	27	27	27	27	27	27	27	27	27	27
TIDE	F2.3	F2.3	F2.3	E0.6	E0.6	E0.6	E0.6	F2.6	F2.6	F2.6	E2.6	E2.6	E2.6
TEMPERATURE	9.8	9.8	9.8	10.0	10.0	10.0	10.0	14.0	14.0	14.0	13.0	13.0	13.0
SALINITY	30.0	30.0	30.0	30.0	30.0	30.0	30.0	23.0	23.0	23.0	28.0	28.0	28.0
SLED NO.	1	2	MEAN	2	MEAN	MEAN	MEAN	1	2	MEAN	1	2	MEAN
TOTAL CALANOIDS	95	96		347	325			40	52		67	66	
NO. IDENTIFIED	90	93		97	102			36	26		65	61	
UCOP	17.0	21.0	19.0	14.0	32.0	23.0		18.0	14.0	16.0	44.0	32.0	38.0
ONSP	5.0	5.0	5.0	36.0	32.0	34.0		1.0	2.0	1.5	1.0	4.0	2.5
NEPL	27.0	13.0	20.0	254.0	228.0	241.0		2.0	2.0	2.0	0.0	0.0	0.0
OISP	37.0	54.0	45.5	14.0	13.0	13.5		3.0	6.0	4.5	7.0	6.0	6.5
PAPA	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	14.0	7.0
PSMI	6.0	2.0	4.0	14.0	6.0	10.0		1.0	0.0	0.5	2.0	1.0	1.5
MISP	0.0	0.0	0.0	0.0	10.0	5.0		1.0	0.0	0.5	0.0	0.0	0.0
COSP	0.0	0.0	0.0	0.0	0.0	0.0		13.0	24.0	18.5	3.0	3.0	3.0
AGLO	1.0	1.0	1.0	4.0	0.0	2.0		0.0	0.0	0.0	9.0	6.0	7.5
WIPP	0.0	0.0	0.0	7.0	3.0	5.0		0.0	0.0	0.0	0.0	0.0	0.0
AEDI	1.0	0.0	0.5	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0
EPLO	1.0	0.0	0.5	0.0	0.0	0.0		1.0	4.0	2.5	1.0	0.0	0.5
CASP	0.0	0.0	0.0	4.0	0.0	2.0		0.0	0.0	0.0	0.0	0.0	0.0

[illegible]

DATE	TIME	STATION	TIDE	TEMPERATURE	SALINITY	SLED NO.	TOTAL CALANOIDS	NO. IDENTIFIED	UCOP	CYGR	ONSP	NEPL	OISP	PAPA	PSHI	COBP	ACLO
820909	1300	27	E3.3	-9.0	-9.0	1	408	99	232.0	4.0	4.0	0.0	37.0	111.0	4.0	12.0	4.0
820909	1300	27	E3.3	-9.0	-9.0	2	438	98	225.0	0.0	13.0	4.0	76.0	99.0	13.0	4.0	4.0
820909	1300	27	E3.3	-9.0	-9.0	MEAN			228.5	2.0	8.5	2.0	56.5	105.0	8.5	8.0	4.0
820929	650	27	E2.0	10.0	29.0	1	60	15	32.0	0.0	8.0	0.0	8.0	12.0	0.0	0.0	0.0
820929	650	27	E2.0	10.0	29.0	2	72	71	32.0	0.0	4.0	1.0	11.0	23.0	1.0	0.0	0.0
820929	650	27	E2.0	10.0	29.0	MEAN			32.0	0.0	6.0	0.5	9.5	17.5	0.5	0.0	0.0

DATE	TIME	STATION	TIDE	TEMPERATURE	SALINITY	SLED NO.	TOTAL CALANOIDS	NO. IDENTIFIED	UCOP	ONSP	NEPL	OISP	PSHI	MISP	MIPP	SCHI	CEAB
820406	1100	31	E2.3	7.6	31.0	1	100	86	30.0	15.0	15.0	38.0	1.0	0.0	0.0	1.0	0.0
820406	1100	31	E2.3	7.6	31.0	2	107	98	42.0	17.0	15.0	33.0	0.0	0.0	0.0	0.0	0.0
820406	1100	31	E2.3	7.6	31.0	MEAN			36.0	16.0	15.0	35.5	0.5	0.0	0.0	0.5	0.0
820414	920	31	E3.3	7.4	30.9	1	47	43	14.0	17.0	3.0	13.0	0.0	0.0	0.0	0.0	0.0
820414	920	31	E3.3	7.4	30.9	2	68	62	13.0	11.0	1.0	39.0	3.0	1.0	0.0	0.0	0.0
820414	920	31	E3.3	7.4	30.9	MEAN			13.5	14.0	2.0	26.0	1.5	0.5	0.0	0.0	0.0
820427	1400	31	E0.3	8.5	27.0	1	24	20	8.0	4.0	1.0	5.0	4.0	1.0	0.0	0.0	1.0
820427	1400	31	E0.3	8.5	27.0	2	45	43	15.0	4.0	0.0	9.0	13.0	4.0	0.0	0.0	0.0
820427	1400	31	E0.3	8.5	27.0	MEAN			11.5	4.0	0.5	7.0	8.5	2.5	0.0	0.0	0.5
820527	1200	31	E1.6	10.0	28.0	1	167	97	28.0	111.0	2.0	17.0	3.0	3.0	3.0	0.0	0.0
820527	1200	31	E1.6	10.0	28.0	2	183	97	34.0	93.0	6.0	40.0	0.0	8.0	2.0	0.0	0.0
820527	1200	31	E1.6	10.0	28.0	MEAN			31.0	102.0	4.0	28.5	1.5	5.5	2.5	0.0	0.0

DATE	TIME	STATION	TIDE	TEMPERATURE	SALINITY	SLED NO.	TOTAL CALANOIDS	NO. IDENTIFIED	UCOP	CYGR	ONSP	NEPL	OISP	PAPA	PSHI	COSP	ACLO	MEPA	WIPP	EUAH	CEAB	EUNF
820604	1130	31	F1.2	-9.0	-9.0	1	27	24	3.0	0.0	1.0	18.0	3.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0
820604	1130	31	F1.2	-9.0	-9.0	2	32	29	2.0	0.0	0.0	19.0	8.0	0.0	1.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0
820604	1130	31	F1.2	-9.0	-9.0	MEAN			2.5	0.0	0.5	18.5	5.5	0.0	0.5	0.0	1.5	0.0	0.0	0.0	0.5	0.0
820618	940	31	F1.1	12.0	30.0	1	72	35	23.0	0.0	29.0	0.0	12.0	0.0	6.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0
820618	940	31	F1.1	12.0	30.0	2	34	16	20.0	0.0	6.0	0.0	6.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
820618	940	31	F1.1	12.0	30.0	MEAN			21.5	0.0	17.5	0.0	9.0	0.0	4.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0
820629	835	31	F2.2	11.5	27.0	1	76	72	48.0	0.0	6.0	0.0	4.0	16.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0
820629	835	31	F2.2	11.5	27.0	2	116	110	79.0	0.0	6.0	1.0	9.0	13.0	0.0	3.0	3.0	0.0	2.0	0.0	0.0	0.0
820629	835	31	F2.2	11.5	27.0	MEAN			63.5	0.0	6.0	0.5	6.5	14.5	0.0	2.0	1.5	0.0	1.0	0.0	0.0	0.5
820708	930	31	E1.9	-9.0	-9.0	1	336	21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.0	0.0	0.0
820708	930	31	E1.9	-9.0	-9.0	2	256	12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
820708	930	31	E1.9	-9.0	-9.0	MEAN			320.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.0	0.0	0.0	0.0	0.0
820708	930	31	E1.9	-9.0	-9.0				277.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.5	0.0	8.0	0.0	0.0

DATE	TIME	STATION	TIDE	TEMPERATURE	SALINITY	SLED NO.	TOTAL CALANOIDS	NO. IDENTIFIED	UDOP	CYBR	ONSP	PAPA	PSMI	COOP	ACLO	AEDI	CALU	TODI
820720	912	31	E1.1	11.0	28.0	1	509	63	24.0	453.0	0.0	16.0	0.0	8.0	0.0	8.0	0.0	0.0
820720	912	31	E1.1	11.0	28.0	2	424	95	31.0	323.0	22.0	18.0	4.0	0.0	0.0	0.0	0.0	4.0
820720	912	31	E1.1	11.0	28.0	MEAN			27.5	388.0	11.0	17.0	2.0	4.0	0.0	4.0	0.0	2.0
820804	935	31	E1.4	12.0	28.0	1	256	64	16.0	232.0	4.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0
820804	935	31	E1.4	12.0	28.0	2	96	24	28.0	44.0	8.0	4.0	0.0	4.0	4.0	0.0	0.0	0.0
820804	935	31	E1.4	12.0	28.0	MEAN			22.0	138.0	6.0	4.0	0.0	2.0	2.0	0.0	0.0	0.0
820818	919	31	E0.8	-9.0	-9.0	1	400	50	32.0	344.0	0.0	0.0	8.0	16.0	0.0	0.0	0.0	0.0
820818	919	31	E0.8	-9.0	-9.0	2	656	81	8.0	592.0	24.0	0.0	24.0	0.0	0.0	0.0	8.0	0.0
820818	919	31	E0.8	-9.0	-9.0	MEAN			20.0	468.0	12.0	0.0	16.0	8.0	0.0	0.0	4.0	0.0
820909	940	31	F3.7	11.0	29.0	1	235	104	142.0	0.0	5.0	29.0	59.0	0.0	0.0	0.0	0.0	0.0
820909	940	31	F3.7	11.0	29.0	2	344	103	261.0	0.0	3.0	43.0	37.0	0.0	0.0	0.0	0.0	0.0
820909	940	31	F3.7	11.0	29.0	MEAN			201.5	0.0	4.0	36.0	48.0	0.0	0.0	0.0	0.0	0.0

DATE	820414	820414	820414	820504	820504	820504
TIME	1040	1040	1040	910	910	910
STATION	32	32	32	32	32	32
TIDE	E2.8	E2.8	E2.8	E2.3	E2.3	E2.3
TEMPERATURE	-9.0	-9.0	-9.0	9.0	9.0	9.0
SALINITY	-9.0	-9.0	-9.0	26.5	26.5	26.5
SLED NO.	1	2	MEAN	1	2	MEAN
TOTAL CALANOIDS	66	57		52	37	
NO. IDENTIFIED	47	57		48	35	
UCOP	15.0	14.0	14.5	16.0	8.0	12.0
ONSP	15.0	7.0	11.0	2.0	3.0	2.5
NEPL	1.0	0.0	0.5	1.0	0.0	0.5
OISP	29.0	32.0	30.5	25.0	17.0	21.0
PSMI	0.0	3.0	1.5	4.0	1.0	2.5
MISP	6.0	1.0	3.5	1.0	6.0	3.5
ACLO	0.0	0.0	0.0	2.0	2.0	2.0
TOOI	0.0	0.0	0.0	1.0	0.0	0.5

DATE	820709	820709	820709	820721	820721	820721	820818	820818	820818	820818
TIME	1215	1215	1215	930	930	930	1233	1233	1233	1233
STATION	34	34	34	34	34	34	34	34	34	34
TIDE	E1.9	E1.9	E1.9	E1.1	E1.1	E1.1	F1.2	F1.2	F1.2	F1.2
TEMPERATURE	15.0	15.0	15.0	-9.0	-9.0	-9.0	15.0	15.0	15.0	15.0
SALINITY	5.0	5.0	5.0	-9.0	-9.0	-9.0	18.0	18.0	18.0	18.0
SLED NO.	1	2	MEAN	1	2	MEAN	1	2	MEAN	MEAN
TOTAL CALANOIDS	0	2		4	0		104	68		
NO. IDENTIFIED	0	1		1	0		48	31		
UCOP	0.0	0.0	0.0	0.0	0.0	0.0	87.0	31.0	59.0	
ONSP	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.0	2.0	
OISP	0.0	0.0	0.0	4.0	0.0	2.0	0.0	0.0	0.0	
PAPA	0.0	0.0	0.0	0.0	0.0	0.0	11.0	11.0	11.0	
UNCY	0.0	2.0	1.0	0.0	0.0	0.0	4.0	24.0	14.0	

DATE	820323	820323	820323
TIME	1415	1415	1415
STATION	281	281	281
TIDE	F3.6	F3.6	F3.6
TEMPERATURE	-9.0	-9.0	-9.0
SALINITY	-9.0	-9.0	-9.0
SLED NO.	1	2	MEAN
TOTAL CALANOIDS	100	62	
NO. IDENTIFIED	80	62	
UCOP	35.0	12.0	23.5
ONSP	0.0	3.0	1.5
OISP	55.0	43.0	49.0
PSMI	10.0	4.0	7.0




Fig. 1. Estuarine & transition zone station locations.




Fig. 2. Marine zone station locations.